



A QUANTUM LEAP IN VISUAL COMPUTING

NVIDIA Quadro®

NVIDIA Quadro® FX Graphics Boards and Visual Computing Systems Feature:

- Unified architecture¹
- Full 128-bit floating point precision pipeline
- 12-bit subpixel precision
- Support for Shader Model 3.0/4.0¹
- Support for OpenGL 2.1
- Support for DirectX9/10¹

A Quantum Leap in Visual Computing

The **NVIDIA Quadro Plex** visual computing system (VCS) is designed to interface with industry-standard workstations and servers to deliver advanced visual computing scalability and remote graphics serving for the most demanding professional applications.

Integrated Graphics-to-Video Solution

The **NVIDIA Quadro SDI** solutions² deliver uncompressed 8-, 10-, or 12¹-bit SDI enabling a direct connection to broadcast monitors, switchers, tape decks, or SDI projectors to fully integrated graphics-to-video out.

Revolutionizing Advanced Visualization

The **NVIDIA Quadro G-Sync**² delivers frame and genlock functionality to unprecedented levels of industrial realism, visualization, and collaborative capabilities.

	Model	DISPLAY					PERFORMANCE			IMAGE QUALITY	FEATURES			OPTIONS		
		Dual-Link DVI	# of Digital Outputs	# of Analog Outputs	Analog ³ and Digital	Maximum Display Resolution Digital @ 60Hz	Memory Size Total	Memory Bandwidth	Relative Performance Score ⁴	FSAA (maximum)	Shader Model	NVIDIA® SLI™ Support	C Programming Environment	SDI Version	G-Sync Version	
Quadro Plex	VISUAL COMPUTING SYSTEM	Model S4 (4 x Quadro FX 5600)	N/A	N/A	N/A	N/A	6 GB	76.8 GB/sec		64x	4.0	✓	✓	N/A	N/A	
		Model IV (2 x Quadro FX 5600)	4	2	2	✓	2560 x 1600	3 GB	76.8 GB/sec		64x	4.0	✓	✓	II	
		Model III (2 x Quadro FX 5500)	8	2	2	✓	2560 x 1600	2 GB	33.6 GB/sec		32x	3.0	✓		I	
		Model II (4 x Quadro FX 4500)	2	2	2	✓	2560 x 1600	2 GB	33.6 GB/sec		64x	3.0	✓		I	
		Model I (2 x Quadro FX 5500)	4	2	2	✓	2560 x 1600	2 GB	33.6 GB/sec		32x	3.0	✓		I	
Quadro FX	ULTRA-HIGH END	Quadro FX 5600	2	2	2	✓	2560 x 1600	1.5 GB	76.8 GB/sec	46.21	32x	4.0	✓	✓	II	II
		Quadro FX 5500	2	2	2	✓	2560 x 1600	1 GB	33.6 GB/sec	39.01	16x	3.0	✓		I	I
		Quadro FX 4600	2	2	2	✓	2560 x 1600	768 MB	67.2 GB/sec	42.89	32x	4.0	✓	✓	II	II
		Quadro FX 4500 X2 (2 GPUs)	4	4	4	✓	2560 x 1600	1 GB	33.6 GB/sec	34.31	16x	3.0	✓			
Quadro FX	HIGH-END	Quadro FX 3500	2	2	2	✓	2560 x 1600	256 MB	42.2 GB/sec	31.41	12x	3.0	✓			
		Quadro FX 3450	1	2	2	✓	2560 x 1600	256 MB	32.0 GB/sec	26.57	12x	3.0	✓			
		Quadro FX 1700	2	2	2	✓	2560 x 1600	512 MB	12.8 GB/sec	35.54	32x	4.0		✓		
Quadro FX	MID-RANGE	Quadro FX 1500	2	2	2	✓	2560 x 1600	256 MB	40.0 GB/sec	26.9	8x	3.0				
		Quadro FX 570	2	2	2	✓	2560 x 1600	256 MB	12.8 GB/sec	27.61	16x	4.0		✓		
		Quadro FX 560	1	2	2	✓	2560 x 1600	128 MB	19.2 GB/sec	24.49	8x	3.0				
Quadro FX	ENTRY-LEVEL	Quadro FX 550		2	2	✓	1920 x 1200	128 MB	12.8 GB/sec	15.72	8x	3.0				
		Quadro FX 370	1	2	2	✓	2560 x 1600	256 MB	6.4 GB/sec	22.22	16x	4.0		✓		
		Quadro FX 350		2	2	✓	1920 x 1200	128 MB	6.48 GB/sec	12.62	8x	3.0				
		Quadro FX 3500M		2	2	✓	⁵	512 MB	38.4 GB/sec	⁵	8x	3.0				
		Quadro FX 2500M		2	2	✓	⁵	512 MB	38.4 GB/sec	⁵	8x	3.0				
Quadro FX	MOBILE	Quadro FX 1600M		2	2	✓	⁵	512 MB	25.6 GB/sec	⁵	8x	4.0		✓		
		Quadro FX 1500M		2	2	✓	⁵	512 MB	38.4 GB/sec	⁵	8x	3.0				
		Quadro FX 570M		2	2	✓	⁵	256 MB	22.4 GB/sec	⁵	8x	4.0		✓		
		Quadro FX 360M		2	2	✓	⁵	256 MB	9.6 GB/sec	⁵	4x	4.0		✓		
		Quadro FX 350M		2	2	✓	⁵	256 MB	6.4 GB/sec	⁵	4x	3.0				
		Quadro NVS	QUAD DISPLAY	Quadro NVS 440 x16 or x1	4	4	4	✓	1920 x 1200	256 MB	8 GB/sec				3.0	
Quadro NVS	DUAL DISPLAY	Quadro NVS 290 x16 or x1		2	2	✓	1920 x 1200	256 MB	6.4 GB/sec				4.0			
		Quadro NVS 285 x16 or x1		2	2	✓	1920 x 1200	128 MB	4.8 GB/sec				3.0			
		Quadro NVS 280 PCI		2	2	✓	1280 x 1024	64 MB	3.2 GB/sec				2.0			
		MOBILE	Quadro NVS Mobile GPUs are available in many business notebooks. For product details please visit, http://www.nvidia.com/object/quadro_nvs_notebook.html													

1 Available only on Quadro FX 5600, FX 4600, Quadro Plex Model IV, and S4

2 Option available for Quadro FX 5600, 5500, 4600 graphics boards only

3 Maximum Display Resolutions: Analog VGA- 2048 x 1536 @ 60Hz

4 Relative performance score represents the geometric mean of the viewperf viewsets and is intended to provide a relative performance difference. Application scaling may vary. SPECviewperf® 9.0 for more information visit www.spec.org.

5. Mobile Workstation performance and display support will vary by OEM; please see www.spec.org for details.

Which NVIDIA GPU solution is best for my environment?



High Performance Computing (HPC) Applications



Professional Applications & Solutions



Consumer/Entertainment Applications

PROFESSIONAL BUSINESS APPLICATIONS
Display and Analytics

QUADRO NVS
The Standard for Business Graphics.




PROFESSIONAL 3D APPLICATIONS
Design, Creation, Visualization

QUADRO FX
The Definition of Performance. The Standard for Quality.



PROFESSIONAL INDUSTRY SOLUTIONS
HD, Broadcast, Large Scale Visualization

QUADRO PLEX, SDI & G-SYNC
Architected for Industry Specific Solutions.



For more information on NVIDIA and NVIDIA Quadro products, visit www.nvidia.com

© 2007 NVIDIA Corporation. NVIDIA, the NVIDIA logo, NVIDIA Quadro, and SLI are trademarks and/or registered trademarks of NVIDIA Corporation. All rights reserved. All company and product names may be trademarks or registered trademarks of the respected owners with which they are associated. Features, pricing, availability, and specifications are subject to change without notice.

